


Fused silica transmission grating technology enables high resolution, high efficiency gratings that are ideal for compact spectrometers



Transmission gratings from Ibsen build on leadership in fused silica transmission grating technology. The superior performance of holography, combined with wafer-based Holostepper™ processing, makes possible high resolution, high efficiency, low noise gratings at the cost level of traditional reflection gratings.

Each Ibsen grating is a holographic masterpiece - not a replica. Fused silica grating technology is equally suitable for UV, VIS and NIR wavelength regions. Ibsen's fused silica transmission grating technology is especially applicable to Raman applications due to very high efficiency over a broad bandwidth.



Spectrometer Grating

2849 l/mm for 263-276 nm


FSTG-UV 2849-941ds

2849 l/mm for 263-276 nm

FSTG-UV 2849-941ds


Benefits

- High diffraction efficiency combined with high dispersion
- Low polarization dependence over broad spectral range
- Unbeatable temperature and environmental tolerance
- Transmission configuration offers flexible and tolerant design
- Low stray light and low wavefront distortion



Parameter	Specification
Materials	Fused silica and high-power, dielectric AR coating materials
Grating area	34 mm x 40 mm
Chip size	36 mm x 42 mm
Chip thickness	1.0 mm
Grating resolution	2849 l/mm
Dispersion at 270 nm	0.19 deg/nm
Angle of incidence (AOI)	16 deg
Illumination bandwidth	263-276 nm
Diffraction efficiency 785-1065 nm, unpolarized	>70%, all wavelengths
Diffraction efficiency 1100 nm, unpolarized	>70%, all wavelengths
Coefficient of thermal expansion (CTE)	0.5 ppm/K
Maximum operating temperature	>500 degrees C
Cleaning recommendation	First contact. Available from Photonic Cleaning


Typical grating performance




2849 l/mm for 263-276 nm

FSTG-UV 2849-941ds

Configuration/definitions



Drawing



Specifications are subject to change without notice.

The above grating is an example of Ibsen's capabilities. Ibsen operates as grating partner for our customers, from being an integrated part of the grating and device / instrument design phase, to the manufacturing of prototypes, to volume manufacturing of OEM gratings.